TÜRGON

BESPOKE & HAND FINISHED WOOD FLOORING

STYLE GUIDE

VOLUME 01



STYLE GUIDE

VOLUME 01

The colours, species and finishes shown in this collection form only a small part of the styles that we are able to achieve.

If you are looking for something unique, or a style that you don't see, please contact us and we can create it for you. Our specialists are on hand to help you achieve the look you want for your project, and are happy to provide any support that you need.

This swatch book is a guide to help you select and compare colours and finishes for your project. However, the photographs are only a representation of the actual product and we recommend you always ask to see a sample before placing an order. Full product information can be found on the reverse of each product page.



GRADES DAK PLANKS

Türgon source timber species from many different countries, each having different grading rules and industry standards.

With Oak being one of the most popular for wooden flooring, we have used this species to highlight three different types of grading to illustrate what variables you can expect.





Prime grade oak is characterised by a mix of both flat cut and quarter cut light oak. It usually has little or no colour variation but can have knots with a diameter of no more than 5mm.

There may also be some single pin knots or be completely knot free. Larger knots, where necessary, will be repaired, filled and sanded. Prime grade is also free from bark pockets, sapwood or worm holes.

PLEASE NOTE:





QUARTER SAWN GRADE OAK PLANKS

Quarter sawn grade oak is characterised by quarter cut light oak only. It is knot free and has uniform colour (discolouration is not permitted).

Quarter sawn grade is also free from bark pockets sapwood or worm holes.

PLEASE NOTE:





Rustic grade oak is characterised by a mix of both flat cut and quarter cut light oak. This grade will often have colour variation and knots up to 35mm in diameter

There may also be some additional light healthy knots and pin knots, with a diameter up to 5mm. Some knots, where necessary, will be repaired, filled and sanded. Rustic grade will also be free from sapwood.

PLEASE NOTE:



LIGHT DAK COLOURS

As Oak is one of the most popular choices for wooden flooring, we have developed a wide range of colours for this species. The following pages showcase our lightest Oak colours.

If you have a particular colour in mind that you can't find here in our swatch, please contact us and we can create a custom colour specific to your needs.





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:







15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





CREAMED GREY COLOUR 102

Available as Prime & Rustic grades in :

15mm ENGINEERED

20mm ENGINEERED

(longer lengths also available on request)

16mm MULTI-LAYERED

21mm MULTI-LAYERED

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:

All our colours are available on herringbone chevron and planks. All our products are hand finishes are also available in lacquers. The photographs are only a representation of the





CHATEAUX GREY

Available as Prime & Rustic grades in:

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





GREY WEATHERED

Available as Prime & Rustic grades in:

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





NATURAL LIGHT

COLOUR 103

Available as Prime & Rustic grades in:

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





CHATEAUX WHITE

Available as Prime & Rustic grades in:

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





RUSSIAN WHITE

Available as Prime & Rustic grades in:

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





PLATINUM GREY

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





RUSTIC GREY

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mr Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





BRUSHED CYPRESS

COLOUR 131

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





SUNIC SILVEI Colour 133

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





CHAMPAGNE ROSE

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





TOURTERELLE COLOUR 138

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:



MID-TONE

As Oak is one of the most popular choices for wooden flooring, we have developed a wide range of colours for this species. The following pages showcase our mid-tone Oak colours.

If you have a particular colour in mind that you can't find here in our swatch, please contact us and we can create a custom colour specific to your needs.





WARM TAUPE

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





TUCAN BROWN COLOUR 204

Available as Prime & Rustic grades in:

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





18TH CENTURY

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





GUINNESS GREY

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





GOTHIC LIGHT

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





RED WEATHERED COLOUR 212

Available as Prime & Rustic grades in:

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





CHOCOLATE BROWN COLOUR 214

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





SOFT ALMOND COLOUR 215

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





BRIGHT AMBER

Available as Prime & Rustic grades in:

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





AUTUMN BROWN

Available as Prime & Rustic grades in:

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





PEARLED GREY

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





WOODLAND GREY

Available as Prime & Rustic grades in:

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





BRUSHED SAGE

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





AGED OLIVE

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





CHARCOAL GRAIN

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





UNDERGROUND COLOUR 239

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





COCOA SHELL

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:



DARK DAK COLOURS

As Oak is one of the most popular choices for wooden flooring, we have developed a wide range of colours for this species. The following pages showcase our darker Oak colours.

If you have a particular colour in mind that you can't find here in our swatch, please contact us and we can create a custom colour specific to your needs.





AMBER MOON

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





DARK CHOCOLATE

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





RICH CHESTNUT

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





RUSSIAN BLACK

COLOUR 308

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





LIGHT CAMDEN BROWN COLOUR 309

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





CAMDEN BROWN

COLOUR 310

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





CAMDEN RUB

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





FRENCH BURNT

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





PALE WENGE

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





BRUSHED IRON COLOUR 331

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





DEEP FOREST COLOUR 332

Available as Prime & Rustic grades in :

15mm ENGINEERED

20mm ENGINEERED

(longer lengths also available on request)

16mm MULTI-LAYERED

21mm MULTI-LAYERED

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:

All our colours are available on herringbone chevron and planks. All our products are hand finishes are also available in lacquers. The photographs are only a representation of the





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





ANTIQUE TOBACCO

COLOUR 398

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:



TWO TONE

As Oak is one of the most popular choices for wooden flooring, we have developed a wide range of colours for this species. The following pages showcase our two-tone Oak colours.

If you have a particular colour in mind that you can't find here in our swatch, please contact us and we can create a custom colour specific to your needs.





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





TWO TONE WENGE

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





DEEP AUBURN

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





CORAL BROWN COLOUR 407

Available as Prime & Rustic grades in :

15mm ENGINEERED

20mm ENGINEERED

(longer lengths also available on request)

16mm MULTI-LAYERED

21mm MULTI-LAYERED

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:

All our colours are available on herringbone chevron and planks. All our products are hand finishes are also available in lacquers. The photographs are only a representation of the





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





DUNE SHADOW COLOUR 433

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





SPARTAN STONE

COLOUR 434

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





BRIDGEWOOD COLOUR 435

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:



In addition to Oak, Türgon stock a wide range of exotic timbers sourced from a variety of sustainable suppliers.

Most of the species are available in solid or engineered format and come in different lengths and widths.





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





BLACK AMERICAN WALNUT EXOTIC TIMBER

Available as Prime & Rustic grades in :

15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths: from 200 mm to 400 mm Lengths: 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mn Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:





15mm ENGINEERED

Widths: 190 mm, 209 mm, 260 mm Lengths: up to 2.4 metres

20mm ENGINEERED

Widths : from 200 mm to 400 mm Lengths : 2 - 4 metres (longer lengths also available on request)

16mm MULTI-LAYERED

Widths: 120 mm - 260 mm Lengths: up to 3 metres

21mm MULTI-LAYERED

Widths: 60 mm - 320 mm Lengths: up to 3 metres

10mm & 200mm SOLID FLOORS

Available on request.

PLEASE NOTE:



FINISHES SURFACE TREATMENTS

Our Türgon craftsmen can create almost any type of surface finish that you desire; from smooth to distressed.

Our products can also be finished with a variety of oils, wax oils, or lacquers. Available in either matt, silk or gloss all the finishes are available with any of our products and with any colour.





FINISH 01

A smooth sanded finish will give your floor an ultra sleek look. This particular finish can only be achieved by finishing on site.

A huge variety of colours are available but acheiving a smooth sanded finish whilst retaining the desired colour requires more time and preparation.

PLEASE NOTE:





The process of brushing is done by machine. Putting a wood floor through a brushing machine scrapes the soft grain from the growth ring leaving the heart wood exposed, and generally making for a much harder floor.

Brushing a floor also allows you do create a two tone effect, and it can be done to using a variety of different colours and species of wood. If you're looking to create something really dramatic, then this is the way to go.

All our floors are lightly brushed as standard unless otherwise specified.

PLEASE NOTE:





The process of brushing is done by machine. Putting a wood floor through a brushing machine scrapes the soft grain from the growth ring leaving the heart wood exposed, and generally making for a much harder floor. Brushing a floor also allows you do create a two tone effect, and it can be done to using a variety of different colours and species of wood. It can be done for a light effect, or brushing can be done deeply.

If you're looking to create something really dramatic, then this is the way to go. You can have as much or as little brushing as you require to create the effect you're looking for.

PLEASE NOTE:





Our hand scraping is done with a variety of sized planers and blades to allow us to change the type of effect you may be looking for.

As with all custom floors, this is a matter of taste, and we can create any effect you are looking for.

PLEASE NOTE:





HEAVY HAND SCRAPED

FINISH 05

Our hand scraping is done with a variety of sized planers and blades to allow us to change the type of effect you may be looking for.

As with all custom floors, this is a matter of taste, and we can create any effect you are looking for.

PLEASE NOTE:





We are masters at manipulating wood in a variety of ways, and our custom finished undulating floors create a subtle but stunning visual effect that can be reproduced on any wood species and in any colour.

These floors are all made by hand in our own UK workshop.

PLEASE NOTE:





AGED & DISTRESSED

FINISH 07

All our floors are distressed and manipulated by hand, which means the amount of distressing can be accurately controlled, creating an extremely authentic visual effect. There are various techniques we can apply in the distressing and ageing of a floor, and this picture represents just one type.

We age and distress our boards by hand instead of using tumbling machines which can damage the board in an unnatural way.

PLEASE NOTE:





We use a variety of techniques to create some amazing aged and antique finishes on wood. We can create a very heavy antique/damaged look, or it can be reproduced in a more subtle way.

We can create any finish on any species to any custom order.

PLEASE NOTE:





We use a variety of techniques to create some amazing aged and antique finishes on wood. We can create a very heavy antique/damaged look, or it can be reproduced in a more subtle way.

We can create any finish on any species to any custom order.

PLEASE NOTE:





By blending a cocktail of environmentally safe chemicals together, we can create some amazing effects.

Chemical reactions can by nature be inconsistent, and they are sometimes difficult to control, in turn making them difficult to reproduce.

Despite the unpredictable process, chemical reactions can make the most unusual and unique floors.

PLEASE NOTE:





By gently easing all the edges of the wood with special tools, we can create a look which will give the effect of a floor that has been laid for a number of years. Its subtle and visually very effective.

This technique is available on all our floors from planks to herringbone.

PLEASE NOTE:





This is a machine process which produces an unusual effect, and is ideally suited to commercial areas. It can be done on any species regardless of width.

As with all hand finishes they cannot be sanded otherwise the effect will be lost.

PLEASE NOTE:



STYLE GUIDE

VOLUME 01

The colours, species and finishes shown in this collection form only a small part of the styles that we are able to achieve.

If you are looking for something unique, or a style that you don't see, please contact us and we can create it for you. Our specialists are on hand to help you achieve the look you want for your project, and are happy to provide any support that you need.

This swatch book is a guide to help you select and compare colours and finishes for your project. However, the photographs are only a representation of the actual product and we recommend you always ask to see a sample before placing an order. Full product information can be found on the reverse of each product page.



T 0208 343 3463

■ info@turgon.co.uk

www.turgon.co.uk

BESPOKE & HAND FINISHED WOOD FLOORING

TÜRGON SHOWROOM

955 Fulham Road | Fulham LONDON | SW6 5HY